New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: AE01 --Inorganics - Non-Metals Analysis

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	AE01.00300	Particulate Matter	Gravimetric	Other 40 CFR Part 50, App L.8 plus QAGD2.12	NJ
Certified	Yes	AE01.00310	Particulate Matter	Gravimetric	EPA 40 CFR Part 50, App. J	NJ

Category: AE02 --Inorganics - Metals Analysis

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	No	AE02.00150	Arsenic	ICP/MS	User Defined EPA IO-3.1/3.5	NJ
Certified	No	AE02.00340	Beryllium	ICP/MS	User Defined EPA IO-3.1/3.5	NJ
Certified	No	AE02.00400	Cadmium	ICP/MS	User Defined EPA IO-3.1/3.5	NJ
Certified	No	AE02.00510	Chromium	ICP/MS	User Defined EPA IO-3.1/3.5	NJ
Certified	No	AE02.00760	Lead	ICP/MS	User Defined EPA IO-3.1/3.5 & EPA R9 FEM Pb7/10	NJ
Certified	No	AE02.00810	Manganese	ICP/MS	User Defined EPA IO-3.1/3.5	NJ
Certified	No	AE02.00980	Nickel	ICP/MS	User Defined EPA IO-3.1/3.5	NJ

Category: AE04 --Organics Analysis

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	AE04.02650	Acetaldehyde	HPLC/UV, Adsorbant Cartridge	EPA TO-11A	NJ
Certified	Yes	AE04.02660	Acetone	HPLC/UV, Adsorbant Cartridge	EPA TO-11A	NJ
Certified	Yes	AE04.02700	Butanone (2-) (Methyl ethyl ketone)	HPLC/UV, Adsorbant Cartridge	EPA TO-11A	NJ
Certified	Yes	AE04.02730	Formaldehyde	HPLC/UV, Adsorbant Cartridge	EPA TO-11A	NJ
Certified	Yes	AE04.02760	Propionaldehyde	HPLC/UV, Adsorbant Cartridge	EPA TO-11A	NJ
Certified	Yes	AE04.03520	Acetonitrile	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03540	Acrolein	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03570	Acrylonitrile	GC/MS, Canisters	EPA TO-15	NJ

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: AE04 --Organics Analysis

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	AE04.03600	Benzene	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03640	Bromodichloromethane	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03650	Bromoform	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03660	Bromomethane	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03670	Butadiene (1,3-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03720	Carbon tetrachloride	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03750	Chlorobenzene	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03760	Chloroethane	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03770	Chloroform	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03780	Chloromethane	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03820	Cyclohexane	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03850	Dibromochloromethane	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03860	Dibromoethane (1,2-) (EDB)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03870	Dichlorobenzene (1,2-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03880	Dichlorobenzene (1,3-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03890	Dichlorobenzene (1,4-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03900	Dichlorodifluoromethane	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03910	Dichloroethane (1,1-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03920	Dichloroethane (1,2-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03930	Dichloroethene (1,1-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03940	Dichloroethene (cis-1,2-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03950	Dichloroethene (trans-1,2-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03970	Dichloropropane (1,2-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03980	Dichloropropene (cis-1,3-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.03990	Dichloropropene (trans-1,3-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04000	Dichlorotetrafluoroethane (1,2-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04110	Ethyl acetate	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04140	Ethylbenzene	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04170	Ethyltoluene (4-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04200	Heptane (n-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04210	Hexachlorobutadiene (1,3-)	GC/MS, Canisters	EPA TO-15	NJ

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: AE04 --Organics Analysis

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	AE04.04230	Hexane (n-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04330	Methyl methacrylate	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04340	Methyl tert-butyl ether	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04350	Methylene chloride (Dichloromethane)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04510	Propylene	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04550	Styrene	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04590	Tetrachloroethane (1,1,2,2-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04600	Tetrachloroethene	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04610	Tetrahydrofuran	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04620	Toluene	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04630	Trichloro (1,1,2-) trifluoroethane (1,2,2-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04640	Trichlorobenzene (1,2,4-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04650	Trichloroethane (1,1,1-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04660	Trichloroethane (1,1,2-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04670	Trichloroethene	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04680	Trichlorofluoromethane	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04710	Trimethylbenzene (1,2,4-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04720	Trimethylbenzene (1,3,5-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04760	Vinyl chloride	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04770	Xylene (m-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04780	Xylene (o-)	GC/MS, Canisters	EPA TO-15	NJ
Certified	Yes	AE04.04790	Xylene (p-)	GC/MS, Canisters	EPA TO-15	NJ

Category: BT02 --Metals - BT Preparation Methods

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	BT02.00020	Metals	Microwave Acid Digest: Soil Sediment & Sludge	SW-846 3051A	NJ
Certified	Yes	BT02.00030	Metals	Microwave Acid Digest - Siliceous & Org Matrix	SW-846 3052	NJ

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: BT03 --Metals

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	BT03.00110	Mercury - solid waste	AA, Manual Cold Vapor	SW-846 7471B	NJ

Category: BT04 --Metals - ICP, ICP/MS and DCP

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	BT04.00032	Aluminum	ICP/MS	SW-846 6020B	NJ
Certified	Yes	BT04.00072	Antimony	ICP/MS	SW-846 6020B	NJ
Certified	Yes	BT04.00112	Arsenic	ICP/MS	SW-846 6020B	NJ
Certified	Yes	BT04.00152	Barium	ICP/MS	SW-846 6020B	NJ
Certified	Yes	BT04.00192	Beryllium	ICP/MS	SW-846 6020B	NJ
Certified	Yes	BT04.00232	Cadmium	ICP/MS	SW-846 6020B	NJ
Certified	Yes	BT04.00292	Chromium	ICP/MS	SW-846 6020B	NJ
Certified	Yes	BT04.00372	Copper	ICP/MS	SW-846 6020B	NJ
Certified	Yes	BT04.00452	Lead	ICP/MS	SW-846 6020B	NJ
Certified	Yes	BT04.00512	Manganese	ICP/MS	SW-846 6020B	NJ
Certified	Yes	BT04.00514	Mercury	Digestion, ICP/MS	User Defined SW846 3052/6020B	NJ
Certified	Yes	BT04.00602	Nickel	ICP/MS	SW-846 6020B	NJ
Certified	Yes	BT04.00662	Selenium	ICP/MS	SW-846 6020B	NJ
Certified	Yes	BT04.00702	Silver	ICP/MS	SW-846 6020B	NJ
Certified	Yes	BT04.00742	Thallium	ICP/MS	SW-846 6020B	NJ
Certified	Yes	BT04.00802	Vanadium	ICP/MS	SW-846 6020B	NJ
Certified	Yes	BT04.00842	Zinc	ICP/MS	SW-846 6020B	NJ

Category: DW01 --Microbiology

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: DW01 --Microbiology

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	DW01.00070	Heterotrophic bacteria	Pour Plate	SM 9215 B	NJ
Certified	Yes	DW01.00110	Total coliform / E. coli	ONPG-MUG (Colilert/Colilert-18), Enumeration	SM 9223 B, Multi-well Procedure	NJ
Certified	Yes	DW01.00130	Total coliform / E. coli	Colisure (P-A)	SM 9223 B	NJ

Category: DW03 --Inorganic Parameters

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	No	DW03.00010	Alkalinity	Electrometric Titration	SM 2320 B	NJ
Certified	Yes	DW03.00150	Bromate	Ion Chromatography	EPA 300.1	NJ
Certified	Yes	DW03.00340	Chlorate	Ion Chromatography	EPA 300.1	NJ
Certified	Yes	DW03.00420	Chloride	Ion Chromatography	EPA 300.0	NJ
Certified	Yes	DW03.00530	Chlorite (monthly)	Ion Chromatography	EPA 300.1	NJ
Certified	Yes	DW03.00550	Color	Platinum-Cobalt	SM 2120 B	NJ
Certified	Yes	DW03.00590	Conductivity	Conductance	SM 2510 B	NJ
Certified	Yes	DW03.00700	Cyanide	Spectrophotometric, Distill, Manual	SM 4500-CN C, E	NJ
Certified	Yes	DW03.00760	Dissolved organic carbon (DOC)	High Temp. Combustion, Filtration	SM 5310 B	NJ
Applied	No	DW03.00770	Dissolved organic carbon (DOC)	Persulfate-UV, Filtration	SM 5310 C	NJ
Certified	Yes	DW03.00860	Fluoride	Ion Chromatography	EPA 300.0	NJ
Certified	Yes	DW03.00910	Foaming agents	Methylene Blue	SM 5540 C	NJ
Certified	Yes	DW03.01070	Nitrate	Ion Chromatography	EPA 300.0	NJ
Certified	Yes	DW03.01220	Nitrite	Ion Chromatography	EPA 300.0	NJ
Certified	Yes	DW03.01440	Orthophosphate	Ion Chromatography	EPA 300.0	NJ
Certified	Yes	DW03.01600	Sulfate	Ion Chromatography	EPA 300.0	NJ
Certified	Yes	DW03.01660	Total dissolved solids (TDS)	Gravimetric At 180	SM 2540 C	NJ
Certified	Yes	DW03.01680	Total hardness	Hardness By Calculation	SM 2340 B	NJ
Certified	Yes	DW03.01690	Total hardness	Titrimetric, EDTA	SM 2340 C	NJ
Certified	Yes	DW03.01710	Total organic carbon (TOC)	High Temp. Combustion	SM 5310 B	NJ
Certified	Yes	DW03.01730	Total organic carbon (TOC)	Persulfate-UV	SM 5310 C	NJ
Certified	Yes	DW03.01850	Turbidity	Nephelometric	SM 2130 B	NJ

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: DW03 --Inorganic Parameters

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	DW03.01880	UV-absorbing compounds	Spectrophotometric, Calculation	SM 5910 B	NJ

Category: DW04 --Analyze-Immed. and Continuous Monitoring

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	No	DW04.00150	pH	Electrometric	SM 4500-H B	NJ

Category: DW06 --Metals

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	DW06.00180	Calcium	Ion Chromatography	ASTM D6919	NJ
Certified	Yes	DW06.00430	Magnesium	Ion Chromatography	ASTM D6919	NJ
Certified	Yes	DW06.00480	Mercury	Manual Cold Vapor	EPA 245.1	NJ
Certified	Yes	DW06.00670	Silica	Colorimetric, Automated-Segmented Flow	USGS I-2700-85	NJ

Category: DW07 --Metals - ICP, ICP/MS and DCP

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	DW07.00001	Aluminum	ICP	EPA 200.7	NJ
Certified	Yes	DW07.00020	Aluminum	ICP/MS	EPA 200.8	NJ
Certified	Yes	DW07.00050	Antimony	ICP/MS	EPA 200.8	NJ
Certified	Yes	DW07.00070	Arsenic	ICP/MS	EPA 200.8	NJ
Certified	Yes	DW07.00080	Barium	ICP	EPA 200.7	NJ
Certified	Yes	DW07.00110	Barium	ICP/MS	EPA 200.8	NJ
Certified	Yes	DW07.00150	Beryllium	ICP/MS	EPA 200.8	NJ

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: DW07 --Metals - ICP, ICP/MS and DCP

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	DW07.00170	Cadmium	ICP	EPA 200.7	NJ
Certified	Yes	DW07.00190	Cadmium	ICP/MS	EPA 200.8	NJ
Certified	Yes	DW07.00200	Calcium	ICP	EPA 200.7	NJ
Certified	Yes	DW07.00240	Chromium	ICP	EPA 200.7	NJ
Certified	Yes	DW07.00270	Chromium	ICP/MS	EPA 200.8	NJ
Certified	Yes	DW07.00300	Copper	ICP	EPA 200.7	NJ
Certified	Yes	DW07.00330	Copper	ICP/MS	EPA 200.8	NJ
Certified	Yes	DW07.00340	Iron	ICP	EPA 200.7	NJ
Certified	Yes	DW07.00380	Lead	ICP/MS	EPA 200.8	NJ
Certified	Yes	DW07.00400	Magnesium	ICP	EPA 200.7	NJ
Certified	Yes	DW07.00430	Manganese	ICP	EPA 200.7	NJ
Certified	Yes	DW07.00460	Manganese	ICP/MS	EPA 200.8	NJ
Certified	Yes	DW07.00470	Mercury	ICP/MS	EPA 200.8	NJ
Certified	Yes	DW07.00500	Nickel	ICP	EPA 200.7	NJ
Certified	Yes	DW07.00530	Nickel	ICP/MS	EPA 200.8	NJ
Certified	Yes	DW07.00540	Potassium	ICP	EPA 200.7	NJ
Certified	Yes	DW07.00560	Selenium	ICP/MS	EPA 200.8	NJ
Certified	Yes	DW07.00600	Silver	ICP	EPA 200.7	NJ
Certified	Yes	DW07.00630	Silver	ICP/MS	EPA 200.8	NJ
Certified	Yes	DW07.00640	Sodium	ICP	EPA 200.7	NJ
Certified	Yes	DW07.00670	Thallium	ICP/MS	EPA 200.8	NJ
Certified	Yes	DW07.00740	Uranium	ICP/MS	EPA 200.8	NJ
Certified	Yes	DW07.00770	Zinc	ICP	EPA 200.7	NJ
Certified	Yes	DW07.00800	Zinc	ICP/MS	EPA 200.8	NJ

Category: DW08 --Organic Parameters - Chromatography

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	DW08.02200	D (2,4-)	Liquid/Liquid Extraction/GC	EPA 515.3	NJ

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: DW08 --Organic Parameters - Chromatography

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	DW08.02210	Dalapon	Liquid/Liquid Extraction/GC	EPA 515.3	NJ
Certified	Yes	DW08.02250	Dicamba	Liquid/Liquid Extraction/GC	EPA 515.3	NJ
Certified	Yes	DW08.02280	Dinoseb	Liquid/Liquid Extraction/GC	EPA 515.3	NJ
Certified	Yes	DW08.02310	Pentachlorophenol	Liquid/Liquid Extraction/GC	EPA 515.3	NJ
Certified	Yes	DW08.02320	Picloram	Liquid/Liquid Extraction/GC	EPA 515.3	NJ
Certified	Yes	DW08.02340	TP (2,4,5-) (Silvex)	Liquid/Liquid Extraction/GC	EPA 515.3	NJ
Certified	Yes	DW08.02520	Aldicarb	HPLC	EPA 531.1	NJ
Certified	Yes	DW08.02530	Aldicarb sulfone	HPLC	EPA 531.1	NJ
Certified	Yes	DW08.02540	Aldicarb sulfoxide	HPLC	EPA 531.1	NJ
Certified	Yes	DW08.02550	Carbaryl	HPLC	EPA 531.1	NJ
Certified	Yes	DW08.02560	Carbofuran (furadan)	HPLC	EPA 531.1	NJ
Certified	Yes	DW08.02570	Hydroxy carbofuran (3-)	HPLC	EPA 531.1	NJ
Certified	Yes	DW08.02590	Methomyl (Lannate)	HPLC	EPA 531.1	NJ
Certified	Yes	DW08.02600	Oxamyl	HPLC	EPA 531.1	NJ
Certified	Yes	DW08.02750	Diquat	HPLC	EPA 549.2	NJ
Certified	Yes	DW08.03160	Dibromo-3-chloropropane (1,2-)	Liquid/Liquid Extraction GC-ECD	EPA 551.1	NJ
Certified	Yes	DW08.03190	Dibromoethane (1,2-) (EDB)	Liquid/Liquid Extraction GC-ECD	EPA 551.1	NJ
Certified	Yes	DW08.03400	Dibromoacetic acid	Liquid/Liquid Extraction/GC	EPA 552.2	NJ
Certified	Yes	DW08.03410	Dichloroacetic acid	Liquid/Liquid Extraction/GC	EPA 552.2	NJ
Certified	Yes	DW08.03420	Monobromoacetic acid (MBAA)	Liquid/Liquid Extraction/GC	EPA 552.2	NJ
Certified	Yes	DW08.03430	Monochloroacetic acid (MCAA)	Liquid/Liquid Extraction/GC	EPA 552.2	NJ
Certified	Yes	DW08.03450	Trichloroacetic acid	Liquid/Liquid Extraction/GC	EPA 552.2	NJ

Category: DW09 --Organic Parameters - Chromatography/MS

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	DW09.02300	Benzene	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02310	Bromobenzene	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02320	Bromochloromethane	GC/MS, P & T	EPA 524.2	NJ

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: DW09 --Organic Parameters - Chromatography/MS

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	DW09.02330	Bromodichloromethane	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02340	Bromoform	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02350	Bromomethane	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02370	Butylbenzene (n-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02390	Carbon tetrachloride	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02410	Chlorobenzene	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02430	Chloroethane	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02440	Chloroform	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02450	Chloromethane	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02460	Chlorotoluene (2-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02470	Chlorotoluene (4-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02490	Dibromochloromethane	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02510	Dibromomethane	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02530	Dichlorobenzene (1,2-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02540	Dichlorobenzene (1,3-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02550	Dichlorobenzene (1,4-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02560	Dichlorodifluoromethane	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02570	Dichloroethane (1,1-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02580	Dichloroethane (1,2-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02590	Dichloroethene (1,1-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02600	Dichloroethene (cis-1,2-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02610	Dichloroethene (trans-1,2-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02620	Dichloropropane (1,2-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02630	Dichloropropane (1,3-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02640	Dichloropropane (2,2-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02660	Dichloropropene (1,1-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02670	Dichloropropene (cis-1,3-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02680	Dichloropropene (trans-1,3-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02710	Ethylbenzene	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02720	Hexachlorobutadiene (1,3-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02760	Isopropylbenzene	GC/MS, P & T	EPA 524.2	NJ

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: DW09 --Organic Parameters - Chromatography/MS

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	DW09.02770	Isopropyltoluene (4-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02820	Methyl tert-butyl ether	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02830	Methylene chloride (Dichloromethane)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02840	Naphthalene	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02900	Propylbenzene (n-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02910	Sec-butylbenzene	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02920	Styrene	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02940	Tert-butylbenzene	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02950	Tetrachloroethane (1,1,1,2-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02960	Tetrachloroethane (1,1,2,2-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02970	Tetrachloroethene	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.02990	Toluene	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.03000	Trichlorobenzene (1,2,3-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.03010	Trichlorobenzene (1,2,4-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.03030	Trichloroethane (1,1,1-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.03040	Trichloroethane (1,1,2-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.03050	Trichloroethene	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.03060	Trichlorofluoromethane	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.03070	Trichloropropane (1,2,3-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.03080	Trimethylbenzene (1,2,4-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.03090	Trimethylbenzene (1,3,5-)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.03100	Vinyl chloride	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.03130	Xylenes (total)	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	DW09.03960	Alachlor	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.03970	Aldrin	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.04000	Aroclor 1016	SPE, GC/MS, Screen	EPA 525.2	NJ
Certified	Yes	DW09.04010	Aroclor 1221	SPE, GC/MS, Screen	EPA 525.2	NJ
Certified	Yes	DW09.04020	Aroclor 1232	SPE, GC/MS, Screen	EPA 525.2	NJ
Certified	Yes	DW09.04030	Aroclor 1242	SPE, GC/MS, Screen	EPA 525.2	NJ
Certified	Yes	DW09.04040	Aroclor 1248	SPE, GC/MS, Screen	EPA 525.2	NJ
Certified	Yes	DW09.04050	Aroclor 1254	SPE, GC/MS, Screen	EPA 525.2	NJ

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: DW09 --Organic Parameters - Chromatography/MS

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	DW09.04060	Aroclor 1260	SPE, GC/MS, Screen	EPA 525.2	NJ
Certified	Yes	DW09.04070	Atrazine	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.04090	Benzo(a)pyrene	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.04150	Butachlor	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.04200	Chlordane (technical)	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.04340	Di(2-ethylhexyl)adipate	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.04350	Di(2-ethylhexyl)phthalate	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.04380	Dieldrin	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.04480	Endrin	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.04560	Heptachlor	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.04570	Heptachlor epoxide	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.04580	Hexachlorobenzene	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.04590	Hexachlorocyclopentadiene	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.04630	Lindane (gamma BHC)	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.04640	Methoxychlor	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.04660	Metolachlor	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.04670	Metribuzin	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.04800	Propachlor	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.04830	Simazine	SPE, GC/MS	EPA 525.2	NJ
Certified	Yes	DW09.04860	Toxaphene	SPE, GC/MS	EPA 525.2	NJ

Category: DW10 --Radiochem. - Radioactivity/Radionuclides

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	DW10.00110	Gamma emitters	Gamma Spectrometry	EPA 901.1	NJ
Certified	Yes	DW10.00220	Gross - alpha-beta	Proportional or Scintillation	EPA 900.0	NJ
Certified	Yes	DW10.00410	Radium - 226	Radiochemical	EPA 903.0	NJ
Certified	Yes	DW10.00590	Radium - 228	Precipitation	EPA 904.0	NJ

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: NPW01--Microbiology

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	NPW01.00020	Enterococci	Membrane Filter	EPA 1600-14	NJ
Certified	Yes	NPW01.00130	Escherichia coli (E coli)	MPN/Multiple Tube/Multiple Well	Other Colilert-04	NJ
Certified	Yes	NPW01.00300	Fecal coliform	Membrane Filter (MF), Single Step	SM 9222 D-06	NJ

Category: NPW03--Inorganic Parameters

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	NPW03.00020	Acidity as CaCO3	Electrometric or Phenolphthalein	SM 2310 B-11	NJ
Certified	Yes	NPW03.00060	Alkalinity as CaCO3	Electrometric or Color Titration	SM 2320 B-11	NJ
Certified	Yes	NPW03.00070	Alkalinity as CaCO3	Electrometric or Color Titration	User Defined Filtered-USGS TWR1 Bk.9	NJ
Certified	Yes	NPW03.00250	Ammonia	Distillation or Gas Diffusion, Semi-automated Phenate	EPA 350.1	NJ
Certified	Yes	NPW03.00290	Ammonia	Distillation or Gas Diffusion, Semi-automated Phenate	USGS I-4523-85	NJ
Certified	Yes	NPW03.00310	Ammonia	Distillation, Ion Chromatography	ASTM D6919-09	NJ
Certified	Yes	NPW03.00350	Biochemical oxygen demand	Dissolved Oxygen Depletion - Membrane Electrode	SM 5210 B-11	NJ
Certified	Yes	NPW03.00540	Bromide	Ion Chromatography	EPA 300.0	NJ
Certified	Yes	NPW03.00660	Carbonaceous BOD (CBOD)	Diss. Oxygen Depl., Nitrif. Inhib. - Membrane Electrode	SM 5210 B-11	NJ
Certified	Yes	NPW03.00820	Chemical oxygen demand	Spectrophotometric Manual/Auto	SM 5220 D-11	NJ
Certified	Yes	NPW03.01100	Chloride	Ion Chromatography	EPA 300.0	NJ
Certified	No	NPW03.01320	Chlorophyll	Spectrophotometric	User Defined EPA 446.0	NJ
Certified	Yes	NPW03.01370	Color	Colorimetric (Platinum-Cobalt)	SM 2120 B-11	NJ
Certified	Yes	NPW03.01470	Cyanide	Distillation, Spectrophotometric (Manual)	SM 4500-CN C-11 plus E-11	NJ
Certified	Yes	NPW03.01750	Dissolved organic carbon (DOC)	Filtration and Combustion	SM 5310 B-11	NJ
Applied	No	NPW03.01760	Dissolved organic carbon (DOC)	Filtration and Persulfate/UV	SM 5310 C-11	NJ
Certified	No	NPW03.01800	Fixed Dissolved Solids - Ambient	Gravimetric	User Defined USGS I-1752-85	NJ
Certified	No	NPW03.01810	Fixed Solids - Ambient	Gravimetric	User Defined USGS I-3752-85	NJ
Certified	No	NPW03.01820	Fixed Suspended Solids - Ambient	Gravimetric	User Defined USGS I-3766-85	NJ
Certified	Yes	NPW03.02110	Hardness - total as CaCO3	Titrimetric, EDTA	SM 2340 C-11	NJ
Certified	Yes	NPW03.02470	Kjeldahl nitrogen - total	Digestion, Semiauto. Digestor, Colorimetric	EPA 351.2	NJ

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: NPW03--Inorganic Parameters

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	NPW03.02580	Nitrate	Ion Chromatography	EPA 300.0	NJ
Certified	Yes	NPW03.02780	Nitrate - nitrite	Cadmium Reduction, Automated	ASTM D3867-04(A)	NJ
Certified	Yes	NPW03.02790	Nitrate - nitrite	Cadmium Reduction, Automated	EPA 353.2	NJ
Certified	Yes	NPW03.03000	Nitrite	Auto, bypass Cd reduction	EPA 353.2	NJ
Certified	Yes	NPW03.03050	Nitrite	Spectrophotometric, Auto Diazotization	USGS I-4540-85	NJ
Certified	Yes	NPW03.03080	Nitrite	Ion Chromatography	EPA 300.0	NJ
Certified	Yes	NPW03.03200	Oil & grease - hem-LL	Gravimetric, Hexane Extractable Material-LL	EPA 1664A	NJ
Certified	Yes	NPW03.03420	Orthophosphate	Ascorbic Acid, Automated	EPA 365.1	NJ
Certified	Yes	NPW03.03550	Orthophosphate	Ion Chromatography	EPA 300.0	NJ
Certified	No	NPW03.03670	Particulate Carbon - Ambient	Elemental Analysis	User Defined EPA 440.0, EPA 440.0 Inorg	NJ
Certified	No	NPW03.03680	Particulate Nitrogen - Ambient	Elemental Analysis	User Defined EPA 440.0	NJ
Certified	Yes	NPW03.03760	Phenols	Manual Distillation, Colorimetric 4AAP, Manual	EPA 420.1	NJ
Certified	Yes	NPW03.03980	Phosphorus (total)	Semi-Automated Block Digestor	EPA 365.4	NJ
Certified	Yes	NPW03.04010	Residue - filterable (TDS)	Gravimetric, 180 Degrees C	SM 2540 C-11	NJ
Certified	Yes	NPW03.04070	Residue - nonfilterable (TSS)	Gravimetric, 103-105 Degrees C, Post Washing	USGS I-3765-85	NJ
Certified	Yes	NPW03.04080	Residue - settleable	Volumetric (Imhoff Cone) or Gravimetric	SM 2540 F-11	NJ
Certified	Yes	NPW03.04100	Residue - total	Gravimetric, 103-105 Degrees C	SM 2540 B-11	NJ
Certified	Yes	NPW03.04130	Residue - volatile	Gravimetric, 550 Degrees C	EPA 160.4	NJ
Certified	No	NPW03.04190	Sediment Concentration - Ambient	Gravimetric	User Defined ASTM 3977-97	NJ
Certified	No	NPW03.04200	Sediment Identification - Ambient	Gravimetric	User Defined USGS Method for Sediment Analysis-Clay, Sand & Sil	NJ
Certified	Yes	NPW03.04250	Specific conductance	Wheatstone Bridge	SM 2510 B-11	NJ
Certified	Yes	NPW03.04490	Sulfate	Ion Chromatography	EPA 300.0	NJ
Certified	Yes	NPW03.04650	Sulfides	Titrimetric, Iodine	SM 4500-S B, C plus F-11	NJ
Certified	Yes	NPW03.04720	Surfactants	Colorimetric (Methylene Blue)	SM 5540 C-11	NJ
Certified	Yes	NPW03.04730	Tannin and Lignin	Colorimetric	SM 5550 B	NJ
Certified	No	NPW03.04740	Total Dissolved Phosphorous - Ambient	Spectrophotometric	User Defined SM 4500-N C	NJ
Certified	No	NPW03.04750	Total Nitrogen -Ambient	Alkaline Persulfate Digestion, Automated	User Defined SM 4500C, Tot. Dis. N- SM 4500-N C/353.2	NJ
Certified	Yes	NPW03.04790	Total organic carbon (TOC)	Combustion	SM 5310 B-11	NJ

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: NPW03--Inorganic Parameters

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Applied	No	NPW03.04840	Total organic carbon (TOC)	Heated or UV	SM 5310C-11	NJ
Certified	Yes	NPW03.05020	Turbidity	Nephelometric	SM 2130 B-11	NJ
Certified	No	NPW03.05050	Volatile Dissolved Solids - Ambient	Gravimetric	User Defined USGS I-1753-85	NJ
Certified	Yes	NPW03.05070	Volatile total suspended solids (VTSS)	Gravimetric, 550 Degrees C	USGS I-3767-85	NJ

Category: NPW04--Analyze-Immed. and Continuous Monitoring

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	NPW04.00380	pH	Electrometric	SM 4500-H B-11	NJ

Category: NPW07--Metals

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	NPW07.00790	Calcium	Digestion, IC	ASTM D6919-09	NJ
Certified	Yes	NPW07.01080	Chromium (VI)	0.45u Filter, Ion Chromatography	EPA 218.6	NJ
Certified	Yes	NPW07.01950	Magnesium	Digestion, IC	ASTM D6919-09	NJ
Certified	Yes	NPW07.02130	Mercury	Cold Vapor Atomic Fluorescence Spectrometry	EPA 245.7	NJ
Certified	Yes	NPW07.02160	Mercury	Manual Cold Vapor	EPA 245.1	NJ
Certified	Yes	NPW07.02630	Potassium	Digestion, IC	ASTM D6919-09	NJ
Certified	Yes	NPW07.02830	Silica - dissolved	0.45u Filtration + Auto Molybdosilicate	USGS I-2700-85	NJ
Certified	Yes	NPW07.03070	Sodium	Digestion, IC	ASTM D6919-09	NJ

Category: NPW08--Metals - ICP, ICP/MS and DCP

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: NPW08--Metals - ICP, ICP/MS and DCP

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	NPW08.00050	Aluminum	Digestion, ICP	EPA 200.7	NJ
Certified	Yes	NPW08.00130	Aluminum	Digestion, ICP/MS	EPA 200.8	NJ
Certified	Yes	NPW08.00140	Aluminum	Digestion, ICP/MS	User Defined EPA 1638	NJ
Certified	Yes	NPW08.00300	Antimony	Digestion, ICP/MS	EPA 200.8	NJ
Certified	Yes	NPW08.00310	Antimony	Digestion, ICP/MS	User Defined EPA 1638	NJ
Certified	Yes	NPW08.00450	Arsenic	Digestion, ICP/MS	EPA 200.8	NJ
Certified	Yes	NPW08.00460	Arsenic	Digestion, ICP/MS	User Defined EPA 1638	NJ
Certified	Yes	NPW08.00510	Barium	Digestion, ICP	EPA 200.7	NJ
Certified	Yes	NPW08.00590	Barium	Digestion, ICP/MS	EPA 200.8	NJ
Certified	Yes	NPW08.00600	Barium	Digestion, ICP/MS	User Defined EPA 1638	NJ
Certified	Yes	NPW08.00760	Beryllium	Digestion, ICP/MS	EPA 200.8	NJ
Certified	Yes	NPW08.00770	Beryllium	Digestion, ICP/MS	User Defined EPA 1638	NJ
Certified	Yes	NPW08.01030	Cadmium	Digestion, ICP	EPA 200.7	NJ
Certified	Yes	NPW08.01110	Cadmium	Digestion, ICP/MS	EPA 200.8	NJ
Certified	Yes	NPW08.01120	Cadmium	Digestion, ICP/MS	User Defined EPA 1638	NJ
Certified	Yes	NPW08.01200	Calcium	Digestion, ICP	EPA 200.7	NJ
Certified	Yes	NPW08.01350	Chromium	Digestion, ICP	EPA 200.7	NJ
Certified	Yes	NPW08.01430	Chromium	Digestion, ICP/MS	EPA 200.8	NJ
Certified	Yes	NPW08.01440	Chromium	Digestion, ICP/MS	User Defined EPA 1638	NJ
Certified	Yes	NPW08.01690	Copper	Digestion, ICP	EPA 200.7	NJ
Certified	Yes	NPW08.01770	Copper	Digestion, ICP/MS	EPA 200.8	NJ
Certified	Yes	NPW08.01780	Copper	Digestion, ICP/MS	User Defined EPA 1638	NJ
Certified	Yes	NPW08.01900	Hardness - total as CaCO3	Ca + Mg Carbonates, ICP	SM 2340 B-11	NJ
Certified	Yes	NPW08.02040	Iron	Digestion, ICP	EPA 200.7	NJ
Certified	Yes	NPW08.02290	Lead	Digestion, ICP/MS	EPA 200.8	NJ
Certified	Yes	NPW08.02300	Lead	Digestion, ICP/MS	User Defined EPA 1638	NJ
Certified	Yes	NPW08.02420	Magnesium	Digestion, ICP	EPA 200.7	NJ
Certified	Yes	NPW08.02580	Manganese	Digestion, ICP	EPA 200.7	NJ
Certified	Yes	NPW08.02660	Manganese	Digestion, ICP/MS	EPA 200.8	NJ
Certified	Yes	NPW08.02670	Manganese	Digestion, ICP/MS	User Defined EPA 1638	NJ
Certified	Yes	NPW08.02910	Nickel	Digestion, ICP	EPA 200.7	NJ

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: NPW08--Metals - ICP, ICP/MS and DCP

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	NPW08.02990	Nickel	Digestion, ICP/MS	EPA 200.8	NJ
Certified	Yes	NPW08.03000	Nickel	Digestion, ICP/MS	User Defined EPA 1638	NJ
Certified	Yes	NPW08.03150	Potassium	Digestion, ICP	EPA 200.7	NJ
Certified	Yes	NPW08.03390	Selenium	Digestion, ICP/MS	EPA 200.8	NJ
Certified	Yes	NPW08.03400	Selenium	Digestion, ICP/MS	User Defined EPA 1638	NJ
Certified	Yes	NPW08.03570	Silver	Digestion, ICP	EPA 200.7	NJ
Certified	Yes	NPW08.03650	Silver	Digestion, ICP/MS	EPA 200.8	NJ
Certified	Yes	NPW08.03660	Silver	Digestion, ICP/MS	User Defined EPA 1638	NJ
Certified	Yes	NPW08.03740	Sodium	Digestion, ICP	EPA 200.7	NJ
Certified	Yes	NPW08.03840	Strontium	Digestion, ICP	EPA 200.7	NJ
Certified	Yes	NPW08.04030	Thallium	Digestion, ICP/MS	EPA 200.8	NJ
Certified	Yes	NPW08.04040	Thallium	Digestion, ICP/MS	User Defined EPA 1638	NJ
Certified	Yes	NPW08.04350	Uranium	Digestion, ICP/MS	EPA 200.8	NJ
Certified	Yes	NPW08.04360	Uranium	Digestion, ICP/MS	User Defined EPA 1638	NJ
Certified	Yes	NPW08.04510	Vanadium	Digestion, ICP/MS	EPA 200.8	NJ
Certified	Yes	NPW08.04520	Vanadium	Digestion, ICP/MS	User Defined EPA 1638	NJ
Certified	Yes	NPW08.04610	Zinc	Digestion, ICP	EPA 200.7	NJ
Certified	Yes	NPW08.04690	Zinc	Digestion, ICP/MS	EPA 200.8	NJ
Certified	Yes	NPW08.04700	Zinc	Digestion, ICP/MS	User Defined EPA 1638	NJ

Category: NPW09--Organics - NPW Preparation Methods

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	NPW09.00090	Semivolatile organics	Separatory Funnel Extraction	SW-846 3510C	NJ
Certified	Yes	NPW09.00200	Semivolatile organics	Cleanup-Gel Permeation	SW-846 3640A	NJ

Category: NPW10--Organic Parameters - Chromatography

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Applied	No	NPW10.08360	Diesel range organic	Extraction, GC, FID	SW-846 8015D	NJ

Category: NPW11--Organic Parameters - Chromatography/MS

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	NPW11.17750	Acenaphthene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.17760	Acenaphthylene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.17850	Anthracene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.17920	Benzo(a)anthracene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.17930	Benzo(a)pyrene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.17940	Benzo(b)fluoranthene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.17950	Benzo(ghi)perylene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.17970	Benzo(k)fluoranthene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18040	Bis (2-chloroethoxy) methane	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18050	Bis (2-chloroethyl) ether	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18060	Bis(2-chloroisopropyl)ether|2,2'-oxybis(1-chloropropane)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18070	Bis (2-ethylhexyl) phthalate	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18080	Bromophenyl-phenyl ether (4-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18090	Butylbenzylphthalate	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18180	Chloronaphthalene (2-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18190	Chlorophenol (2-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18200	Chlorophenyl-phenyl ether (4-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18210	Chrysene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18320	Dibenzo(a,h)anthracene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18370	Dichlorobenzene (1,2-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18380	Dichlorobenzene (1,3-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18390	Dichlorobenzene (1,4-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18410	Dichlorophenol (2,4-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18440	Diethyl phthalate	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: NPW11--Organic Parameters - Chromatography/MS

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	NPW11.18470	Dimethyl phthalate	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18540	Dimethylphenol (2,4-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18550	Di-n-butyl phthalate	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18580	Dinitrophenol (2,4-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18590	Dinitrophenol (2-methyl-4,6-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18600	Dinitrotoluene (2,4-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18610	Dinitrotoluene (2,6-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18620	Di-n-octyl phthalate	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18750	Fluoranthene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18760	Fluorene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18790	Hexachlorobenzene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18800	Hexachlorobutadiene (1,3-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18810	Hexachlorocyclopentadiene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18820	Hexachloroethane	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18870	Indeno(1,2,3-cd)pyrene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18890	Isophorone	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.18980	Methyl phenol (4-chloro-3-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.19050	Naphthalene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.19120	Nitrobenzene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.19140	Nitrophenol (2-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.19150	Nitrophenol (4-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.19170	N-Nitrosodimethylamine	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.19190	N-Nitroso-di-n-propylamine	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.19200	N-Nitrosodiphenylamine / Diphenylamine	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.19380	Pentachlorophenol	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.19400	Phenanthrene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.19410	Phenol	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.19490	Pyrene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.19640	Trichlorobenzene (1,2,4-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	NPW11.19660	Trichlorophenol (2,4,6-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	No	NPW11.21360	Bromobenzene	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: NPW11--Organic Parameters - Chromatography/MS

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	No	NPW11.21370	Bromochloromethane	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21380	Bromodichloromethane	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21400	Bromoform	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21410	Bromomethane	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21430	Butylbenzene (n-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21450	Carbon tetrachloride	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21470	Chloroethane	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21500	Chloromethane	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21510	Chlorotoluene (2-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21520	Chlorotoluene (4-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21540	Dibromochloromethane	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21560	Dibromomethane	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21580	Dichlorobenzene (1,3-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21590	Dichlorobenzene (1,4-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21600	Dichlorodifluoromethane	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21610	Dichloroethane (1,1-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21630	Dichloroethene (1,1-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21640	Dichloroethene (cis-1,2-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21650	Dichloroethene (trans-1,2-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21660	Dichloropropane (1,2-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21670	Dichloropropane (1,3-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21680	Dichloropropane (2,2-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21690	Dichloropropene (1,1-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21700	Dichloropropene (cis-1,3-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21710	Dichloropropene (trans-1,3-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21730	Ethylbenzene	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21750	Hexachlorobutadiene (1,3-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21790	Isopropylbenzene	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21800	Isopropyltoluene (4-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21830	Methyl tert-butyl ether	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21850	Naphthalene	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: NPW11--Organic Parameters - Chromatography/MS

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	No	NPW11.21860	Propylbenzene (n-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21870	Sec-butylbenzene	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21880	Styrene	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21900	Tert-butylbenzene	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21910	Tetrachloroethane (1,1,1,2-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21920	Tetrachloroethane (1,1,2,2-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21930	Tetrachloroethene	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21970	Trichlorobenzene (1,2,3-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21980	Trichlorobenzene (1,2,4-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.21990	Trichloroethane (1,1,1-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.22000	Trichloroethane (1,1,2-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.22010	Trichloroethene	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.22020	Trichlorofluoromethane	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.22030	Trichloropropane (1,2,3-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.22040	Trimethylbenzene (1,2,4-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.22050	Trimethylbenzene (1,3,5-)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.22070	Vinyl chloride	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	No	NPW11.22090	Xylenes (total)	GC/MS, P & T, Capillary Column	User Defined EPA 524.2	NJ
Certified	Yes	NPW11.24010	Benzene [40CFR136, Table 1F]	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	NPW11.24020	Chlorobenzene [40CFR136, Table 1F]	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	NPW11.24030	Chloroform [40CFR136, Table 1F]	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	NPW11.24040	Dichlorobenzene (1,2-) [40CFR136, Table 1F]	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	NPW11.24050	Dichloroethane (1,2-) [40CFR136, Table 1F]	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	NPW11.24060	Methylene chloride [40CFR136, Table 1F]	GC/MS, P & T	EPA 524.2	NJ
Certified	Yes	NPW11.24090	Toluene [40CFR136, Table 1F]	GC/MS, P & T	EPA 524.2	NJ

Category: NPW16--NPW - Lab Developed/Non-Std Methods

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	No	NPW16.02240	Particulate Phosphorus - Ambient	Semi-automated Colorimetry	User Defined Tot/Inorg-Asphila et al, 1976	NJ

Category: SCM03--Inorganic Parameters and Preparation

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Applied	No	SCM03.00090	Benthic Matter	Spectrophotometric	User Defined New Zealand Stream Periphyton Monitoring Manual	NJ

Category: SCM05--Metals - SCM Preparation Methods

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	SCM05.00090	Metals	Microwave Acid Digest: Soil Sediment & Sludge	SW-846 3051A	NJ

Category: SCM06--Metals

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	No	SCM06.00610	Mercury	Cold Vapor Atomic Absorption Spectrometry	User Defined EPA 245.1	NJ

Category: SCM07--Metals - ICP, ICP/MS and DCP

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	SCM07.00042	Aluminum	ICP/MS	SW-846 6020B	NJ
Certified	Yes	SCM07.00092	Antimony	ICP/MS	SW-846 6020B	NJ

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: SCM07--Metals - ICP, ICP/MS and DCP

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	SCM07.00152	Arsenic	ICP/MS	SW-846 6020B	NJ
Certified	Yes	SCM07.00262	Beryllium	ICP/MS	SW-846 6020B	NJ
Certified	Yes	SCM07.00362	Cadmium	ICP/MS	SW-846 6020B	NJ
Certified	Yes	SCM07.00462	Chromium	ICP/MS	SW-846 6020B	NJ
Certified	Yes	SCM07.00582	Copper	ICP/MS	SW-846 6020B	NJ
Certified	Yes	SCM07.00632	Iron	ICP/MS	SW-846 6020B	NJ
Certified	Yes	SCM07.00692	Lead	ICP/MS	SW-846 6020B	NJ
Certified	Yes	SCM07.00822	Manganese	ICP/MS	SW-846 6020B	NJ
Certified	Yes	SCM07.00942	Nickel	ICP/MS	SW-846 6020B	NJ
Certified	Yes	SCM07.01072	Selenium	ICP/MS	SW-846 6020B	NJ
Certified	Yes	SCM07.01152	Silver	ICP/MS	SW-846 6020B	NJ
Certified	Yes	SCM07.01322	Thallium	ICP/MS	SW-846 6020B	NJ
Certified	Yes	SCM07.01622	Zinc	ICP/MS	SW-846 6020B	NJ

Category: SCM08--Organics - SCM Prep. / Screening Methods

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	SCM08.00180	Semivolatile organics	Cleanup-Gel Permeation	SW-846 3640A	NJ
Certified	Yes	SCM08.00280	Semivolatile organics	Soxhlet Extraction	SW-846 3540C	NJ

Category: SCM10--Organic Parameters - Chromatography/MS

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	SCM10.09230	Acenaphthene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.09240	Acenaphthylene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.09330	Anthracene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.09400	Benzo(a)anthracene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Category: SCM10--Organic Parameters - Chromatography/MS

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	Yes	SCM10.09410	Benzo(a)pyrene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.09420	Benzo(b)fluoranthene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.09430	Benzo(ghi)perylene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.09450	Benzo(k)fluoranthene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.09510	Biphenyl (1,1'-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.09550	Bis (2-ethylhexyl) phthalate	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.09570	Butylbenzylphthalate	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.09690	Chrysene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.09800	Dibenzo(a,h)anthracene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.09920	Diethyl phthalate	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.09950	Dimethyl phthalate	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.10030	Di-n-butyl phthalate	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.10100	Di-n-octyl phthalate	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.10230	Fluoranthene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.10240	Fluorene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.10350	Indeno(1,2,3-cd)pyrene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.10480	Methylnaphthalene (1-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.10490	Methylnaphthalene (2-)	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.10530	Naphthalene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.10880	Phenanthrene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ
Certified	Yes	SCM10.10970	Pyrene	GC/MS, Extract or Dir Inj, Capillary	SW-846 8270D	NJ

Category: SCM14--SCM - Lab Developed/Non-Std Methods

Status	Eligible to Report NJ Data	Code	Parameter	Technique	Approved Methods	Primary State
Certified	No	SCM14.02490	Total organic carbon (TOC)	Pyrolytic	User Defined NCEA-C-1282, EMAC-001	NJ

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environment Protection
Environmental Laboratory Certification Program

Annual Certified Parameter List and Current Status

Effective as of 07/01/2019 until 6/30/2020

Laboratory Name: VIRGINIA DIVISION OF CONSOLIDATED LAB SERVICE Laboratory Number: VA010 Activity ID: NLC 190001
600 NORTH 5TH ST
RICHMOND VA 23219

Michele M. Potter, Manager